

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|-----|------|---|--|---------------------|----------|
| 1 | BRS | L1 | 432 | instruction SAME sequence SAME (instruction near3 pointer or address) SAME (indexed or masks) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:04 | |
| 2 | BRS | L2 | 362 | 1 and (block or cache) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 14:46 | |
| 3 | BRS | L3 | 271 | 2 and (decoder or decoding) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 14:47 | |
| 4 | BRS | L4 | 171 | 3 and (multiplexer or selector) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 15:47 | |
| 5 | BRS | L5 | 60 | 4 and (predictor or prediction) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 14:48 | |
| 6 | BRS | L6 | 0 | 5 and (common near3 suffix) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 15:23 | |
| 7 | BRS | L7 | 17 | 5 and (suffix) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 15:32 | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|-----|-------|---|--|---------------------|----------|
| 8 | BRS | L8 | 2 | 1 and (prefix SAME suffix SAME (block or sequence)) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:07 | |
| 9 | BRS | L9 | 55 | 3 and trace | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 15:47 | |
| 10 | BRS | L10 | 45 | 4 and trace | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 15:47 | |
| 11 | BRS | L11 | 18 | 5 and trace | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:04 | |
| 12 | BRS | L12 | 10082 | trace.ti. | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:04 | |
| 13 | BRS | L13 | 0 | 12 and (instruction SAME sequence SAME (instruction near3 pointer or address) SAME (indexed or masks)) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:05 | |
| 14 | BRS | L14 | 84 | 12 and (instruction SAME sequence SAME (instruction near3 pointer or address)) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:06 | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|-----|------|---|--|---------------------|----------|
| 15 | BRS | L15 | 46 | 14 and cache | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:06 | |
| 16 | BRS | L16 | 0 | 15 and (prefix SAME suffix SAME (block or sequence)) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:07 | |
| 17 | BRS | L17 | 0 | 15 and (suffix SAME (block or sequence)) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:07 | |
| 18 | BRS | L18 | 46 | 15 and (block or sequence) | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:08 | |
| 19 | BRS | L19 | 6 | 15 and decoder | USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B | 2003/08/03 16:08 | |